


# Building stone catalog

 [+989173933763](tel:+989173933763)

 [+989173933763](tel:+989173933763)

 [bornastone](https://www.linkedin.com/company/bornastone)


 [en.bornastone\\_com](https://www.instagram.com/en.bornastone_com)

 [enbornastone](https://www.pinterest.com/enbornastone)

 [en.bornastone\\_com](https://www.facebook.com/en.bornastone_com)

 [en.bornastone.com](https://www.youtube.com/en.bornastone.com)

 [info@bornastone.com](mailto:info@bornastone.com)

 [shiraz- iran](#)

 [en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE  
FACTORY AND SUPPLIER





**CRYSTAL**

## CRYSTAL

CRYSTAL CRYSTALS ARE, IN FACT, CONDENSED MARBLES AND PLACED UNDER TECTONIC PRESSURE, WHERE THE LIMESTONE GRAINS OF MARBLE HAVE CRYSTALLIZED. FRACTURES OF THE EARTH'S PLATES CAUSE FRAGILE STREAKS OR COLORED STREAKS IN THE ROCK. THERE ARE BLUE TO BLACK SPECTRUMS IN THIS TYPE OF STONES.



no:cca1

**aligoudarz  
crystal**

## aligoudarz crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PERSIAN SCATOO CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/04 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 4/1 , AS WELL AS A COMPRESSIVE STRENGTH OF 930 AND WATER ABSORPTION OF 0.08 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	--	2.71	4	920	0.09

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran





no:rc 009

**carrara  
crystal**

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

## Carrara crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

CARRARA CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/07 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 3/7 , AS WELL AS A COMPRESSIVE STRENGTH OF 940 AND WATER ABSORPTION OF 0.14 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	0.07	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.07	2.71	3.7	940	0.14



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: alb 22



**aligoudarz  
black crystal**

## aligoudarz black crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

BLACK ALIGOUDARZ CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/08 , AND WITH A WEIGHT OF 2.73 AND WEAR RESISTANCE OF 4/1 , AS WELL AS A COMPRESSIVE STRENGTH OF 950 AND WATER ABSORPTION OF 0.08, IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.08	2.73	4.1	950	0.08





panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

## Crystal neyriz

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

NEYRIZ CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/05 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 3/7 , AS WELL AS A COMPRESSIVE STRENGTH OF 850 AND WATER ABSORPTION OF 0.15 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.05	2.71	3.7	850	0.15



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no.lcg 444

laybeed  
crystal

## Laybeed crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

WHITE LAYBEED CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/13 , AND WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 3/9 , AS WELL AS A COMPRESSIVE STRENGTH OF 1000 AND WATER ABSORPTION OF 0.21 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.13	2.72	3.9	1000	0.21





panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no:mmc 444

marmara  
crystal

## Marmara crystal


THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MARMARA CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/17 , AND WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 4 , AS WELL AS A COMPRESSIVE STRENGTH OF 1120 AND WATER ABSORPTION OF 0.11 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.17	2.72	4	1120	0.11





no: psc 11

**persian  
scatoo**

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone\_com

en.bornastone.com

inf@bornastone.com

en.bornastone\_com

en.bornastone\_com


## Persian scatoo

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PERSIAN SCATOO CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/04 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 4/1 , AS WELL AS A COMPRESSIVE STRENGTH OF 930 AND WATER ABSORPTION OF 0.08 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.4	2.71	4.1	930	0.08



no: spc 332

sperloos  
crystal

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

## Sperloos crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

SPERLOOS CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0.27 , AND WITH A WEIGHT OF 2.73 AND WEAR RESISTANCE OF 3.8 , AS WELL AS A COMPRESSIVE STRENGTH OF 1050 AND WATER ABSORPTION OF 0.23 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.27	0.73	3.8	1050	0.23



# Building stone catalog



[+989173933763](tel:+989173933763)



[+989173933763](whatsapp://send?text:+989173933763)



[bornastone](https://www.linkedin.com/company/bornastone)



[en.bornastone\\_com](https://www.instagram.com/en.bornastone_com)



[enbornastone](https://www.pinterest.com/enbornastone)



[en.bornastone\\_com](https://www.facebook.com/en.bornastone_com)



[en.bornastone.com](https://www.youtube.com/en.bornastone.com)



[info@bornastone.com](mailto:info@bornastone.com)



[shiraz- iran](#)



[en.bornastone.com](https://www.en.bornastone.com)

## BORNA STONE FACTORY AND SUPPLIER

THANK YOU FOR VIEWING THE  
BUILDING STONE CATALOG OF  
BORNA STANE GROUP.

FOR MORE INFORMATION ABOUT  
THE STONES IN THE CATALOG OR THE  
STONES YOU WANT, CONTACT US  
THROUGH THE COMMUNICATION  
CHANNELS.