


Building stone catalog

 [+989173933763](tel:+989173933763)

 [+989173933763](tel:+989173933763)

 [bornastone](https://www.linkedin.com/company/bornastone)


 [en.bornastone_com](https://www.instagram.com/en.bornastone_com)

 [enbornastone](https://www.pinterest.com/enbornastone)

 [en.bornastone_com](https://www.facebook.com/en.bornastone_com)

 [en.bornastone.com](https://www.youtube.com/en.bornastone.com)

 info@bornastone.com

 [shiraz- iran](#)

 [en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE
FACTORY AND SUPPLIER





GRANITE

granite

GRANITE JUST LIKE TRAVERTINES ARE FORMED IN AN ENVIRONMENT UNDER TEMPERATURE AND PRESSURE, BUT WITH THE DIFFERENCE THAT THEY ARE FORMED FROM VOLCANIC MOLTEN MATERIALS. UNLIKE TRAVERTINE, WEBER IS NOT IN THE VICINITY OF HYDROGEN SULFIDE AND CARBON DIOXIDE GASES



NO: BGP1

**birjand granite
picaso**

Birjand granite picaso

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

BIRJAND GREEN GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY , AND WITH A WEIGHT OF 2.81 AND WEAR RESISTANCE OF 4 , AS WELL AS A COMPRESSIVE STRENGTH OF 2250 AND WATER ABSORPTION OF 0.02, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Birjand granit picaso	--	2.81	4	2250	0.02

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no: bg.221

**birjand
green granit**

Birjand green granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

GREEN GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY , AND WITH A WEIGHT OF 2.81 AND WEAR RESISTANCE OF 4 , AS WELL AS A COMPRESSIVE STRENGTH OF 2250 AND WATER ABSORPTION OF 0.02, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Birjand green granit	--	2.81	4	2250	0.02



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:blp.101

black piton granite

Black piton granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PITON GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY 2.5 , AND WITH A WEIGHT OF 2.8 AND WEAR RESISTANCE OF 6 , AS WELL AS A COMPRESSIVE STRENGTH OF 1500 AND WATER ABSORPTION OF 1.5 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Black piton granit	2.5	2.8	6	1500	1.5



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:mbg, 111

**magma
black
granite**


Magma black granit

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MAGMA BLACK IS AMONG THE GRANITE , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.54 AND WEAR RESISTANCE OF 3.3 , AS WELL AS A COMPRESSIVE STRENGTH OF 1228 AND WATER ABSORPTION OF 0.3 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Magma black granit	2.5	2.8	6	1500	1.5



no:zg. 449

zahedan
granite

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Zahedan granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

ZAHEDAN GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.54 AND WEAR RESISTANCE OF 3.3 , AS WELL AS A COMPRESSIVE STRENGTH OF 1228 AND WATER ABSORPTION OF 0.3 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Zahedan granit	--	2.54	3.3	1228	0.03



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no: mg 1

**morvarid
granite**


Mashhad morvarid granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MASHHAD MORVARID GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY 0.29, AND WITH A WEIGHT OF 2.65 AND WEAR RESISTANCE OF 3 , AS WELL AS A COMPRESSIVE STRENGTH OF 1310 AND WATER ABSORPTION OF 0.86, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Mashhad morvarid granit	--	2.74	3.3	1228	0.03



no: nbg 1

**natanz
black granite**

Natanz black granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

NATANZ GRANITE IS AMONG THE GRANITE, WHICH HAS A POROSITY, AND WITH A WEIGHT OF 3.1 AND WEAR RESISTANCE OF 6, AS WELL AS A COMPRESSIVE STRENGTH OF 2300 AND WATER ABSORPTION OF 0.06, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Natanz black granit	--	3.1	6	2300	0.06

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no: RG 1

red granite

RED GRANITE

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

YAZ RED GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 3.2 AND WEAR RESISTANCE OF 4.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 1370 AND WATER ABSORPTION OF 0.11 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Red granit	--	3.2	4.2	1370	0.11

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Building stone catalog

 [+989173933763](tel:+989173933763)

 [+989173933763](tel:+989173933763)

 [bornastone](https://www.linkedin.com/company/bornastone)


 [en.bornastone_com](https://www.instagram.com/en.bornastone_com)

 [enbornastone](https://www.pinterest.com/enbornastone)

 [en.bornastone_com](https://www.facebook.com/en.bornastone_com)

 [en.bornastone.com](https://www.youtube.com/en.bornastone.com)

 info@bornastone.com

 [shiraz- iran](#)

 [en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE FACTORY AND SUPPLIER

THANK YOU FOR VIEWING THE
BUILDING STONE CATALOG OF
BORNA STANE GROUP.

FOR MORE INFORMATION ABOUT
THE STONES IN THE CATALOG OR THE
STONES YOU WANT, CONTACT US
THROUGH THE COMMUNICATION
CHANNELS.