Building stone catalog

- +989173933763
 +989173933763
 bornastone
 bornastone com
 en.bornastone com
 en.bornastone com
 en.bornastone com
 info@bornastone.com
- 🍄 <u>shiraz- iran</u>
- en.bornastone.com

BORNA STONE FACTORY AND SUPPLIER





LIMESTONE

ISLAM ABAD LIMESTONE

THEY ARE LIMESTONES AND DUE TO THEIR YOUTH, THE STRUCTURE IS VERY SOFT. THEY RANGE IN COLOR FROM WHITE TO CREAM TO SMOKY. WHICH MOSTLY WHITE AND CREAM HAVE ATTRACTED ATTENTION, THEY HAVE HIGHER WATER ABSORPTION THAN OTHER STONES, BUT ON THE OTHER HAND



Boukan limstone

limstone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

BOUKAN LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 0.73, AND WITH A WEIGHT OF 2.64 AND WEAR RESISTANCE OF 3.1, AS WELL AS A COMPRESSIVE STRENGTH OF 940 AND WATER ABSORPTION OF 1.09, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.73	2.64	3.1	940	1.09



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone_com

@ en.bornastone_com

en.bornastone.com fo bornastone

inf@bornastone.com f en.bornastone_com



Ш

no:ghl.005

en.bornastone.com

Youther

Ghoom limestone


THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

GHOOM LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 2.32, AND WITH A WEIGHT OF 2.43 AND WEAR RESISTANCE OF 2.7, AS WELL AS A COMPRESSIVE STRENGTH OF 680 AND WATER ABSORPTION OF 2.49, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	2.32	2.43	2.7	680	2.49

hoom



Islam abad limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

ISLAMABAD LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 1.46, AND WITH A WEIGHT OF 2.48 AND WEAR RESISTANCE OF 2.8, AS WELL AS A COMPRESSIVE STRENGTH OF 830 AND WATER ABSORPTION OF 2.12, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	1.46	2.48	2.8	830	2.12




Limestone gohare

gohare limestor THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

GOHARE LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 0.93, AND WITH A WEIGHT OF 2.46 AND WEAR RESISTANCE OF 2.6, AS WELL AS A COMPRESSIVE STRENGTH OF 520 AND WATER ABSORPTION OF 2.49, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.93	2.46	2.6	520	2.49



Limestone marvdsht

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

MARVDASHT LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 2.24, AND WITH A WEIGHT OF 2.24 AND WEAR RESISTANCE OF 2.7, AS WELL AS A COMPRESSIVE STRENGTH OF 840 AND WATER ABSORPTION OF 2.37, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	2.24	2.24	2.7	840	2.37



Marvdasht fossil limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

MARVDASHT FOSSIL LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 3.27, AND WITH A WEIGHT OF 2.61 AND WEAR RESISTANCE OF 3, AS WELL AS A COMPRESSIVE STRENGTH OF 770 AND WATER ABSORPTION OF 1.44, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	3.27	2.61	3	770	1.44




Miandoaab limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

MIANDOAB LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 0/88, AND WITH A WEIGHT OF 2.64 AND WEAR RESISTANCE OF 3.2, AS WELL AS A COMPRESSIVE STRENGTH OF 950 AND WATER ABSORPTION OF 1.17, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.88	2.64	3.2	950	1.17



Semirom limstone

THEY ARE LIMESTONES AND DUE TO THEIR YOUTH, THE STRUCTURE IS VERY SOFT. THEY RANGE IN COLOR FROM WHITE TO CREAM TO SMOKY.

WHICH MOSTLY WHITE AND CREAM HAVE ATTRACTED ATTENTION, THEY HAVE HIGHER WATER ABSORPTION THAN OTHER STONES, BUT ON THE OTHER HAND, THEY HAVE HIGH COLD RESISTANCE FOR AREAS WITH HIGH COLD DEGREES, WHICH IS ONE OF ITS POSITIVE FEATURES.

SEMIROM LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 0.64, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3, AS WELL AS A COMPRESSIVE STRENGTH OF 870 AND WATER ABSORPTION OF 1.24, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressiv e strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.64	2.66	3	870	1.24

Building stone catalog

<u>+989173933763</u>
 <u>+989173933763</u>

- in <u>bornastone</u>
- o <u>en.bornastone com</u>
- <u>enbornastone</u>
- 子 <u>en.bornastone com</u>
- en.bornastone.com
- 🔀 <u>info@bornastone.com</u>
- 🧿 <u>shiraz- iran</u>
- en.bornastone.com

BORNA STONE FACTORY AND SUPPLIER

THANK YOU FOR VIEWING THE BUILDING STONE CATALOG OF BORNA STANE GROUP.

FOR MORE INFORMATION ABOUT THE STONES IN THE CATALOG OR THE STONES YOU WANT, CONTACT US THROUGH THE COMMUNICATION CHANNELS.