


Building stone catalog

 [+989173933763](tel:+989173933763)

 [+989173933763](tel:+989173933763)

 [bornastone](https://www.linkedin.com/company/bornastone)


 [en.bornastone_com](https://www.instagram.com/en.bornastone_com)

 [enbornastone](https://www.pinterest.com/enbornastone)

 [en.bornastone_com](https://www.facebook.com/en.bornastone_com)

 [en.bornastone.com](https://www.youtube.com/en.bornastone.com)

 info@bornastone.com

 [shiraz- iran](#)

 [en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE
FACTORY AND SUPPLIER





MARBLE

MARBLE

MARBLE IT IS USED FOR INTERIOR AND EXTERIOR DECORATION AND ONE OF ITS OTHER POSITIVE FEATURES IS THAT IT HAS A VERY GOOD POLISHABILITY AND ALSO HAS DIFFERENT COLOR DESIGNS IT IS POSSIBLE TO PRODUCE VERY LARGE (SLAB) DIMENSIONS IT HAS RELATIVELY GOOD EROSION RESISTANCE AND LESS WATER ABSORPTION THAN



no:mdc 1

marble
crena marfil

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Dehbid marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

CREAM MARFIL IS AMONG THE MARBLES THAT HAS A POROSITY OF 0.79 AND WITH A WEIGHT OF 2.76 AND WEAR RESISTANCE OF 4.5, AS WELL AS A COMPRESSIVE STRENGTH OF 1240 AND WATER ABSORPTION OF 0.18, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Dehbid marble	074	2.71	4.4	1230	0.17



no: d.m 1

**diplomate
marble**

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Diplomate marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

DIPLOMATE MARBLE IS AMONG THE MARBLES, WHICH HAS A POROSITY OF 1.08, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3, AS WELL AS A COMPRESSIVE STRENGTH OF 990 AND WATER ABSORPTION OF 0.52, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
diplomate marble	1.08	2.66	3	990	0.52



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: ep m 1



**emperor
marble**

Emperor marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

EMPERADOR MARBLE IS AMONG THE MARBLES THAT HAS A POROSITY OF 2.6 AND WITH A WEIGHT OF 2.7 AND WEAR RESISTANCE OF 3.3, AS WELL AS A COMPRESSIVE STRENGTH OF 970 AND WATER ABSORPTION OF 0.76, IT IS VERY POPULAR AMONG MARBLE LOVERS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Emperador marble	2.6	2.7	3.3	970	0.76



no: grf 1

gray fossil

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Gray fossil marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

GRAY FOSSIL IS AMONG THE MARBLES WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 3, AS WELL AS WITH A COMPRESSIVE STRENGTH OF 625 AND WATER ABSORPTION OF 1.64, IT IS VERY POPULAR AMONG MARBLE LOVERS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Gray fossil marble	--	2.72	3	625	1.64



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



Mahkam brown marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MAHKAM MARBLE IS AMONG THE MARBLES, WHICH HAS A POROSITY OF 0/32, AND WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 3.4, AS WELL AS A COMPRESSIVE STRENGTH OF 1240 AND WATER ABSORPTION OF 0.44, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Mahkam brown marble	0.32	2.72	3.4	1240	0.44



NO: PS1

PERSIAN SILK

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Persian silk marble

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT (THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5

PERSIAN SILK MARBLE IS AMONG THE MARBLES THAT HAS A POROSITY OF 0.84 AND WITH A WEIGHT OF 2.64 AND WEAR RESISTANCE OF 3.3, AS WELL AS WITH A COMPRESSIVE STRENGTH OF 1170 AND WATER ABSORPTION OF 0.7, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

S 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PINK ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.6 AND WEAR RESISTANCE OF 5.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 820 AND WATER ABSORPTION OF 0.18 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Persian silk marble	0.84	2.64	3.3	1170	0.7



no: pg 1

pietra gray

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Pietra gray marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PIETRA GRAY MARBLE IS AMONG THE MARBLES THAT HAS A POROSITY OF 0.44 AND WITH A WEIGHT OF 2.77 AND WEAR RESISTANCE OF 3, AS WELL AS WITH A COMPRESSIVE STRENGTH OF 1266 AND WATER ABSORPTION OF 0.42, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Pietra gray marble	0.44	2.77	3	1266	0.42



no: sw.m 1

spider white marble

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Spider white marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

WHITE SPIDER MARBLE IS AMONG THE MARBLES, WHICH HAS A POROSITY OF 0.55, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3.5 , AS WELL AS A COMPRESSIVE STRENGTH OF 1280 AND WATER ABSORPTION OF 0.63 , IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Spider white marble	0.32	2.72	3.4	1240	0.44

Building stone catalog

 [+989173933763](tel:+989173933763)

 [+989173933763](tel:+989173933763)

 [bornastone](https://www.linkedin.com/company/bornastone)


 [en.bornastone_com](https://www.instagram.com/en.bornastone_com)

 [enbornastone](https://www.pinterest.com/enbornastone)

 [en.bornastone_com](https://www.facebook.com/en.bornastone_com)

 [en.bornastone.com](https://www.youtube.com/en.bornastone.com)

 info@bornastone.com

 [shiraz- iran](#)

 [en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE FACTORY AND SUPPLIER

THANK YOU FOR VIEWING THE
BUILDING STONE CATALOG OF
BORNA STANE GROUP.

FOR MORE INFORMATION ABOUT
THE STONES IN THE CATALOG OR THE
STONES YOU WANT, CONTACT US
THROUGH THE COMMUNICATION
CHANNELS.