


Building stone catalog

 [+989173933763](tel:+989173933763)

 [+989173933763](tel:+989173933763)

 [bornastone](https://www.linkedin.com/company/bornastone)

 [en.bornastone_com](https://www.instagram.com/en.bornastone_com)

 [enbornastone](https://www.pinterest.com/enbornastone)

 [en.bornastone_com](https://www.facebook.com/en.bornastone_com)

 [en.bornastone.com](https://www.youtube.com/en.bornastone.com)

 info@bornastone.com

 [shiraz- iran](#)

 [en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE
FACTORY AND SUPPLIER





ONYX

onyx

WHEN TRAVERTINES THAT HAVE BEEN UNDER HIGH PRESSURE AND HEAT AND ARE NOT POROUS DUE TO HOT SPRING GASES WE CAN CALLED ONYX THEY HAVE GOOD POLISHING ABILITY, DESPITE THE FACT THAT THIS STONE IS FRAGILE, IT HAS GOOD RESISTANCE AFTER PROPER PROCESSING AND TESTING.



no: orx 1

orange onyx

orange onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

ORANGE ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 4.4 , AS WELL AS A COMPRESSIVE STRENGTH OF 750 AND WATER ABSORPTION OF 0.11 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
orange onyx	--	2.41	4.4	750	0.11

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:im.o 22

**Mahogany
onyx**

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Mahogany onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MAHGONY ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.73 AND WEAR RESISTANCE OF 4.11 , AS WELL AS A COMPRESSIVE STRENGTH OF 820 AND WATER ABSORPTION OF 0.07 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
mahogany onyx	--	2.73	4.11	820	0.07



green onyx

no: grx 2

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Green onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500


GREEN ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.76 AND WEAR RESISTANCE OF 4.6, AS WELL AS A COMPRESSIVE STRENGTH OF 1185 AND WATER ABSORPTION OF 0.08 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.8
maximum	2.5	2.8	6	1500	1.5
green onyx	--	2.76	4.6	1185	0.08



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: ca.o 21



**cappuccino
onyx**

Cappuccino onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

CAPPUCCINO ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.76 AND WEAR RESISTANCE OF 5.1 , AS WELL AS A COMPRESSIVE STRENGTH OF 750 AND WATER ABSORPTION OF 0.06 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	
maximum	2.5	2.8	6	1500	1.5
cappuccino onyx	--	2.76	5.1	750	0.06



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: whx 1



white onyx

White onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

WHITE ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.43 AND WEAR RESISTANCE OF 4.8 , AS WELL AS A COMPRESSIVE STRENGTH OF 950 AND WATER ABSORPTION OF 0.22 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
white onyx	--	2.43	4.8	950	0.22



no:sm.o.02

**smokey
onyx**

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Smokey onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

SMOKEY ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.75 AND WEAR RESISTANCE OF 3.8 , AS WELL AS A COMPRESSIVE STRENGTH OF 760 AND WATER ABSORPTION OF 0.14 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
smokey onyx	--	2.75	3.8	760	0.14



no: sb.o 1

sky blue
onyx

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Sky blue onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

BLUE ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.68 AND WEAR RESISTANCE OF 4.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 1150 AND WATER ABSORPTION OF 0.09 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Sky blue onyx	--	2.68	4.2	1150	0.09



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



Pink onyx

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PINK ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.6 AND WEAR RESISTANCE OF 5.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 820 AND WATER ABSORPTION OF 0.18 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	
maximum	2.5	2.8	6	1500	1.5
pink onyx	--	2.41	4.4	750	0.11



travertine

TRAVERTINE IT IS MOSTLY SUITABLE FOR THE EXTERIOR DUE TO THE PRESENCE OF TRAVERTINE MINES IN THE AREAS OF MINERAL WATER WITH GAS, IT HAS HOLES AND VOIDS, THE SURFACE OF WHICH IS FILLED WITH RESIN, AND THE BACK SIDE, WHICH HAS VOIDS, CAUSES THE STONE TO ADHERE TO THE FACADE OF THE BUILDING



red travertine

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: r.t 002

Red travertine

THE CATEGORY OF TRAVERTINE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

RED TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 8, AND WITH A WEIGHT OF 2.6 AND WEAR RESISTANCE OF 3.6 AS WELL AS A COMPRESSIVE STRENGTH OF 660 AND WATER ABSORPTION OF 0.2, IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	.03
maximum	2.5	2.8	6	1500	1.5
Red travertine	8	2.6	3.6	660	0.2



no: st 1

silver travertine

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Silver travertine

THE CATEGORY OF TRAVERTINE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

SILVER TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 7, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3 AS WELL AS A COMPRESSIVE STRENGTH OF 901 AND WATER ABSORPTION OF 2.04 , IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
silver travertine	7	2.66	3	901	2.04



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Smokey tekab travertine

THE CATEGORY OF TRAVERTINE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

SMOKEY TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 7, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3 AS WELL AS A COMPRESSIVE STRENGTH OF 901 AND WATER ABSORPTION OF 2.04, IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Smoky tekab travertine	7	2.66	3	901	2.04



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:ctc 3

tekab cream travertine

Tekab cream travertine

THE CATEGORY OF TRAVERTINE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

CREAM TEKAB TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 9, AND WITH A WEIGHT OF 2.3 AND WEAR RESISTANCE OF 3.1, AS WELL AS A COMPRESSIVE STRENGTH OF 436 AND WATER ABSORPTION OF 3.88, IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Tekab cream travertine	0.9	2.3	3.1	436	3.88



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no:wht 2



white
teravertine

White travertine

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

WHITE TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 0.42 , AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 1050 AND WATER ABSORPTION OF 0.57 , IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
white travertine	0.42	2.66	3.2	1050	0.57



no.ybt.101

yazd brown travertine

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Yazd brown travertine

THE CATEGORY OF TRAVERTINE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

YAZD BROWN TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 8, AND WITH A WEIGHT OF 2.52 AND WEAR RESISTANCE OF 3 AS WELL AS A COMPRESSIVE STRENGTH OF 710 AND WATER ABSORPTION OF 0.31, IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Yazd brown travertine	0.42	2.66	3.2	1050	0.57



no: y.t.5

yellow
travertine

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Yellow travertine

THE CATEGORY OF TRAVERTINE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

YELLOW TRAVERTINE IS AMONG THE TRAVERTINES, WHICH HAS A POROSITY OF 8, AND WITH A WEIGHT OF 2.33 AND WEAR RESISTANCE OF 3.1 AS WELL AS A COMPRESSIVE STRENGTH OF 371 AND WATER ABSORPTION OF 2.56, IT IS VERY POPULAR AMONG TRAVERTINE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
yellow travertine	8	2.33	3.1	371	2.56



GRANITE

granite

GRANITE JUST LIKE TRAVERTINES ARE FORMED IN AN ENVIRONMENT UNDER TEMPERATURE AND PRESSURE, BUT WITH THE DIFFERENCE THAT THEY ARE FORMED FROM VOLCANIC MOLTEN MATERIALS. UNLIKE TRAVERTINE, WEBER IS NOT IN THE VICINITY OF HYDROGEN SULFIDE AND CARBON DIOXIDE GASES



NO: BGP1

**birjand granite
picaso**

Birjand granite picaso

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

BIRJAND GREEN GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY , AND WITH A WEIGHT OF 2.81 AND WEAR RESISTANCE OF 4 , AS WELL AS A COMPRESSIVE STRENGTH OF 2250 AND WATER ABSORPTION OF 0.02, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Birjand granit picaso	--	2.81	4	2250	0.02

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no: bg.221
birjand green granit

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Birjand green granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

GREEN GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY , AND WITH A WEIGHT OF 2.81 AND WEAR RESISTANCE OF 4 , AS WELL AS A COMPRESSIVE STRENGTH OF 2250 AND WATER ABSORPTION OF 0.02, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Birjand green granit	--	2.81	4	2250	0.02



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:blp.101

black piton granite

Black piton granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PITON GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY 2.5 , AND WITH A WEIGHT OF 2.8 AND WEAR RESISTANCE OF 6 , AS WELL AS A COMPRESSIVE STRENGTH OF 1500 AND WATER ABSORPTION OF 1.5 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Black piton granit	2.5	2.8	6	1500	1.5



magma
black
granite

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no:mbg, 111


Magma black granit

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MAGMA BLACK IS AMONG THE GRANITE , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.54 AND WEAR RESISTANCE OF 3.3 , AS WELL AS A COMPRESSIVE STRENGTH OF 1228 AND WATER ABSORPTION OF 0.3 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Magma black granit	2.5	2.8	6	1500	1.5



no:zg. 449

zahedan
granite

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Zahedan granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

ZAHEDAN GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.54 AND WEAR RESISTANCE OF 3.3 , AS WELL AS A COMPRESSIVE STRENGTH OF 1228 AND WATER ABSORPTION OF 0.3 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Zahedan granit	--	2.54	3.3	1228	0.03



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no: mg 1

**morvarid
granite**

Mashhad morvarid granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MASHHAD MORVARID GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY 0.29, AND WITH A WEIGHT OF 2.65 AND WEAR RESISTANCE OF 3 , AS WELL AS A COMPRESSIVE STRENGTH OF 1310 AND WATER ABSORPTION OF 0.86, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Mashhad morvarid granit	--	2.74	3.3	1228	0.03



no: nbg 1

**natanz
black granite**

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Natanz black granite

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

NATANZ GRANITE IS AMONG THE GRANITE, WHICH HAS A POROSITY, AND WITH A WEIGHT OF 3.1 AND WEAR RESISTANCE OF 6, AS WELL AS A COMPRESSIVE STRENGTH OF 2300 AND WATER ABSORPTION OF 0.06, IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Natanz black granit	--	3.1	6	2300	0.06



no: RG 1

red granite

RED GRANITE

THE CATEGORY OF GRANITE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

YAZ RED GRANITE IS AMONG THE GRANITE , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 3.2 AND WEAR RESISTANCE OF 4.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 1370 AND WATER ABSORPTION OF 0.11 , IT IS VERY POPULAR AMONG GRANITE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Red granit	--	3.2	4.2	1370	0.11

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



MARBLE

MARBLE

MARBLE IT IS USED FOR INTERIOR AND EXTERIOR DECORATION AND ONE OF ITS OTHER POSITIVE FEATURES IS THAT IT HAS A VERY GOOD POLISHABILITY AND ALSO HAS DIFFERENT COLOR DESIGNS IT IS POSSIBLE TO PRODUCE VERY LARGE (SLAB) DIMENSIONS IT HAS RELATIVELY GOOD EROSION RESISTANCE AND LESS WATER ABSORPTION THAN



no:mdc 1

marble
crena marfil

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Dehbid marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

CREAM MARFIL IS AMONG THE MARBLES THAT HAS A POROSITY OF 0.79 AND WITH A WEIGHT OF 2.76 AND WEAR RESISTANCE OF 4.5, AS WELL AS A COMPRESSIVE STRENGTH OF 1240 AND WATER ABSORPTION OF 0.18, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Dehbid marble	074	2.71	4.4	1230	0.17



no: d.m 1

**diplomate
marble**

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Diplomate marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

DIPLOMATE MARBLE IS AMONG THE MARBLES, WHICH HAS A POROSITY OF 1.08, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3, AS WELL AS A COMPRESSIVE STRENGTH OF 990 AND WATER ABSORPTION OF 0.52, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
diplomate marble	1.08	2.66	3	990	0.52



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



Emperador marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

EMPERADOR MARBLE IS AMONG THE MARBLES THAT HAS A POROSITY OF 2.6 AND WITH A WEIGHT OF 2.7 AND WEAR RESISTANCE OF 3.3, AS WELL AS A COMPRESSIVE STRENGTH OF 970 AND WATER ABSORPTION OF 0.76, IT IS VERY POPULAR AMONG MARBLE LOVERS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Emperador marble	2.6	2.7	3.3	970	0.76



no: grf 1

gray fossil

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Gray fossil marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

GRAY FOSSIL IS AMONG THE MARBLES WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 3, AS WELL AS WITH A COMPRESSIVE STRENGTH OF 625 AND WATER ABSORPTION OF 1.64, IT IS VERY POPULAR AMONG MARBLE LOVERS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Gray fossil marble	--	2.72	3	625	1.64



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: mb.m 1



**mahkam
brown
marble**

Mahkam brown marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MAHKAM MARBLE IS AMONG THE MARBLES, WHICH HAS A POROSITY OF 0/32, AND WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 3.4, AS WELL AS A COMPRESSIVE STRENGTH OF 1240 AND WATER ABSORPTION OF 0.44, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Mahkam brown marble	0.32	2.72	3.4	1240	0.44



NO: PS1

PERSIAN SILK

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Persian silk marble

THE CATEGORY OF ONYX WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT (THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5

PERSIAN SILK MARBLE IS AMONG THE MARBLES THAT HAS A POROSITY OF 0.84 AND WITH A WEIGHT OF 2.64 AND WEAR RESISTANCE OF 3.3, AS WELL AS WITH A COMPRESSIVE STRENGTH OF 1170 AND WATER ABSORPTION OF 0.7, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

S 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PINK ONYX IS AMONG THE ONYX , WHICH HAS A POROSITY, AND WITH A WEIGHT OF 2.6 AND WEAR RESISTANCE OF 5.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 820 AND WATER ABSORPTION OF 0.18 , IT IS VERY POPULAR AMONG ONYX ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Persian silk marble	0.84	2.64	3.3	1170	0.7



no: pg 1

pietra gray

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Pietra gray marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PIETRA GRAY MARBLE IS AMONG THE MARBLES THAT HAS A POROSITY OF 0.44 AND WITH A WEIGHT OF 2.77 AND WEAR RESISTANCE OF 3, AS WELL AS WITH A COMPRESSIVE STRENGTH OF 1266 AND WATER ABSORPTION OF 0.42, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Pietra gray marble	0.44	2.77	3	1266	0.42



no: sw.m 1

spider white
marble

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Spider white marble

THE CATEGORY OF MARBLES WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

WHITE SPIDER MARBLE IS AMONG THE MARBLES, WHICH HAS A POROSITY OF 0.55, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3.5, AS WELL AS A COMPRESSIVE STRENGTH OF 1280 AND WATER ABSORPTION OF 0.63, IT IS VERY POPULAR AMONG MARBLE ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
Spider white marble	0.32	2.72	3.4	1240	0.44



CRYSTAL

CRYSTAL

CRYSTAL CRYSTALS ARE, IN FACT, CONDENSED MARBLES AND PLACED UNDER TECTONIC PRESSURE, WHERE THE LIMESTONE GRAINS OF MARBLE HAVE CRYSTALLIZED. FRACTURES OF THE EARTH'S PLATES CAUSE FRAGILE STREAKS OR COLORED STREAKS IN THE ROCK. THERE ARE BLUE TO BLACK SPECTRUMS IN THIS TYPE OF STONES.



no:cca1

**aligoudarz
crystal**

aligoudarz crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PERSIAN SCATOO CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/04 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 4/1 , AS WELL AS A COMPRESSIVE STRENGTH OF 930 AND WATER ABSORPTION OF 0.08 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	--	2.71	4	920	0.09

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone


en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com



no:rc 009

**carrara
crystal**

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Carrara crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

CARRARA CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/07 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 3/7 , AS WELL AS A COMPRESSIVE STRENGTH OF 940 AND WATER ABSORPTION OF 0.14 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	0.07	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.07	2.71	3.7	940	0.14



aligoudarz
black crystal

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: alb 22

aligoudarz black crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

BLACK ALIGOUDARZ CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/08 , AND WITH A WEIGHT OF 2.73 AND WEAR RESISTANCE OF 4/1 , AS WELL AS A COMPRESSIVE STRENGTH OF 950 AND WATER ABSORPTION OF 0.08, IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.08	2.73	4.1	950	0.08



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Crystal neyriz

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.


AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

NEYRIZ CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/05 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 3/7 , AS WELL AS A COMPRESSIVE STRENGTH OF 850 AND WATER ABSORPTION OF 0.15 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.05	2.71	3.7	850	0.15



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no.lcg 444

laybeed
crystal

Laybeed crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

WHITE LAYBEED CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/13 , AND WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 3/9 , AS WELL AS A COMPRESSIVE STRENGTH OF 1000 AND WATER ABSORPTION OF 0.21 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.13	2.72	3.9	1000	0.21



no:mmc 444

marmara
crystal

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Marmara crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

MARMARA CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/17 , AND WITH A WEIGHT OF 2.72 AND WEAR RESISTANCE OF 4 , AS WELL AS A COMPRESSIVE STRENGTH OF 1120 AND WATER ABSORPTION OF 0.11 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.17	2.72	4	1120	0.11



no: psc 11

**persian
scatoo**

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran


Persian scatoo

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

PERSIAN SCATOO CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0/04 , AND WITH A WEIGHT OF 2.71 AND WEAR RESISTANCE OF 4/1 , AS WELL AS A COMPRESSIVE STRENGTH OF 930 AND WATER ABSORPTION OF 0.08 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.4	2.71	4.1	930	0.08



no: spc 332

sperloos
crystal

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Sperloos crystal

THE CATEGORY OF CRYSTAL WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 6, WHICH HAS A WATER ABSORPTION OF 1.5 AND COMPRESSIVE STRENGTH OF 1500

SPERLOOS CRYSTAL IS AMONG THE CRYSTAL, WHICH HAS A POROSITY OF 0.27 , AND WITH A WEIGHT OF 2.73 AND WEAR RESISTANCE OF 3.8 , AS WELL AS A COMPRESSIVE STRENGTH OF 1050 AND WATER ABSORPTION OF 0.23 , IT IS VERY POPULAR AMONG CRYSTAL ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.27	0.73	3.8	1050	0.23



LIMESTONE

ISLAM ABAD LIMESTONE

THEY ARE LIMESTONES AND DUE TO THEIR YOUTH, THE STRUCTURE IS VERY SOFT. THEY RANGE IN COLOR FROM WHITE TO CREAM TO SMOKY. WHICH MOSTLY WHITE AND CREAM HAVE ATTRACTED ATTENTION, THEY HAVE HIGHER WATER ABSORPTION THAN OTHER STONES, BUT ON THE OTHER HAND



no: bkl 1

**boukan
limstone**

panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

Boukan limstone

THE CATEGORY OF LIMSTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

BOUKAN LIMSTONE IS AMONG THE LIMSTONES, WHICH HAS A POROSITY OF 0.73 , AND WITH A WEIGHT OF 2.64 AND WEAR RESISTANCE OF 3.1 , AS WELL AS A COMPRESSIVE STRENGTH OF 940 AND WATER ABSORPTION OF 1.09 , IT IS VERY POPULAR AMONG LIMSTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.73	2.64	3.1	940	1.09



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:gh1.005

ghoom
limestone

Ghoom limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

GHOOM LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 2.32, AND WITH A WEIGHT OF 2.43 AND WEAR RESISTANCE OF 2.7, AS WELL AS A COMPRESSIVE STRENGTH OF 680 AND WATER ABSORPTION OF 2.49, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	2.32	2.43	2.7	680	2.49



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no:isl.008

islam abad
limestone

Islam abad limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

ISLAMABAD LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 1.46, AND WITH A WEIGHT OF 2.48 AND WEAR RESISTANCE OF 2.8, AS WELL AS A COMPRESSIVE STRENGTH OF 830 AND WATER ABSORPTION OF 2.12, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	1.46	2.48	2.8	830	2.12



no: gL1

gohare limestone

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

Limestone gohare

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

GOHARE LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 0.93, AND WITH A WEIGHT OF 2.46 AND WEAR RESISTANCE OF 2.6, AS WELL AS A COMPRESSIVE STRENGTH OF 520 AND WATER ABSORPTION OF 2.49, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.93	2.46	2.6	520	2.49



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran



no: Lm1

Marvdasht limestone

Limestone marvdasht

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

MARVDASHT LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 2.24 , AND WITH A WEIGHT OF 2.24 AND WEAR RESISTANCE OF 2.7 , AS WELL AS A COMPRESSIVE STRENGTH OF 840 AND WATER ABSORPTION OF 2.37 , IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS.

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	2.24	2.24	2.7	840	2.37



no:mfl.006

mardasht
fossil limestone

panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

en.bornastone.com

bornastone

en.bornastone_com

en.bornastone.com

inf@bornastone.com

en.bornastone_com

en.bornastone_com

Marvdasht fossil limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

MARVDASHT FOSSIL LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 3.27, AND WITH A WEIGHT OF 2.61 AND WEAR RESISTANCE OF 3, AS WELL AS A COMPRESSIVE STRENGTH OF 770 AND WATER ABSORPTION OF 1.44, IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	3.27	2.61	3	770	1.44



panjan stone factory : 1 km of road - fasa bridge - shiraz - iran

no:mdl .007



miandoaab
limestone

Miandoab limestone

THE CATEGORY OF LIMESTONE WITH FEATURES WITH MINIMUM POROSITY AND WEIGHT OF 2.5 AS WELL AS WEAR ABRASIVE RESISTANCE OF 2.5 AND COMPRESSIVE STRENGTH OF 500 WHICH IS 0.3 WITH WATER ABSORPTION.

AND AT MOST, THE POROSITY IS 2.5 AND THE WEIGHT IS 2.8 ALONG WITH THE ABRASION RESISTANCE OF 3, WHICH HAS A WATER ABSORPTION OF 1.24 AND COMPRESSIVE STRENGTH OF 870

MIANDOAB LIMESTONE IS AMONG THE LIMESTONES, WHICH HAS A POROSITY OF 0/88 , AND WITH A WEIGHT OF 2.64 AND WEAR RESISTANCE OF 3.2 , AS WELL AS A COMPRESSIVE STRENGTH OF 950 AND WATER ABSORPTION OF 1.17 , IT IS VERY POPULAR AMONG LIMESTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.88	2.64	3.2	950	1.17



panj tan stone factory : 1 km of road - fasa bridge - shiraz - iran

no: sm1 1



**semirom
limstone**

Semirom limstone

THEY ARE LIMSTONES AND DUE TO THEIR YOUTH, THE STRUCTURE IS VERY SOFT. THEY RANGE IN COLOR FROM WHITE TO CREAM TO SMOKY.

WHICH MOSTLY WHITE AND CREAM HAVE ATTRACTED ATTENTION, THEY HAVE HIGHER WATER ABSORPTION THAN OTHER STONES, BUT ON THE OTHER HAND, THEY HAVE HIGH COLD RESISTANCE FOR AREAS WITH HIGH COLD DEGREES, WHICH IS ONE OF ITS POSITIVE FEATURES.

SEMIROM LIMSTONE IS AMONG THE LIMSTONES, WHICH HAS A POROSITY OF 0.64, AND WITH A WEIGHT OF 2.66 AND WEAR RESISTANCE OF 3, AS WELL AS A COMPRESSIVE STRENGTH OF 870 AND WATER ABSORPTION OF 1.24, IT IS VERY POPULAR AMONG LIMSTONES ENTHUSIASTS

	porosity	weight	abrasive resistance	compressive strength	water absorption
minimum	petty	2.5	2.5	500	0.3
maximum	2.5	2.8	6	1500	1.5
pink onyx	0.64	2.66	3	870	1.24

Building stone catalog



[+989173933763](tel:+989173933763)



[+989173933763](whatsapp://send?text=+989173933763)



[bornastone](https://www.linkedin.com/company/bornastone)



[en.bornastone_com](https://www.instagram.com/en.bornastone_com)



[enbornastone](https://www.pinterest.com/enbornastone)



[en.bornastone_com](https://www.facebook.com/en.bornastone_com)



[en.bornastone.com](https://www.youtube.com/en.bornastone.com)



info@bornastone.com



[shiraz- iran](#)



[en.bornastone.com](https://www.en.bornastone.com)

BORNA STONE FACTORY AND SUPPLIER

THANK YOU FOR VIEWING THE
BUILDING STONE CATALOG OF
BORNA STANE GROUP.

FOR MORE INFORMATION ABOUT
THE STONES IN THE CATALOG OR THE
STONES YOU WANT, CONTACT US
THROUGH THE COMMUNICATION
CHANNELS.